

Creative & Customized LED Display


Round LED Display

Pixel Pitch (mm): 1.25 / 1.53 / 1.86 / 2 / 2.5 / 3 / 4

Flexible Pixel Pitch & Size Customization


Customizable Design

Available in various diameters, the round LED display can be tailored to fit different project requirements. Its seamless circular structure ensures smooth visuals, wide viewing angles, and strong visual impact, making it suitable for branding and advertising applications.



Optional Double-Sided Display

Supports optional double-sided display, allowing content to be presented on both sides simultaneously for enhanced visibility and increased audience reach.



Left

Right

Adjustable Brightness

Brightness can be adjusted and customized according to different installation environments, ensuring optimal visibility in both indoor and outdoor conditions.



Outstanding Visual Performance

Featuring high contrast, high grayscale, HDR support, and a high refresh rate, the display delivers deep black levels, accurate low-gray performance, a wider color spectrum, and smooth, flicker-free visuals for a superior viewing experience.



High Contrast



High Grey Level



HDR



High Refresh Rate


Multiple Content Formats

Supports various media formats, enabling simultaneous playback of images and videos to create dynamic and engaging visual presentations.




Intelligent Control System

Supports WiFi and 4G remote control, allowing users to easily manage content publishing, updates, and system operations for efficient and flexible display management.



Front Maintenance Design

Designed with front maintenance access, making installation, servicing, and component replacement more convenient and efficient.



Outdoor Protection

The outdoor version features an IP65 protection rating with dustproof, anti-static design. Equipped with a bottom shell and front mask, it ensures long-term durability while simplifying maintenance and repair.



- ✔ Equipped with a bottom shell and protective front mask, suitable for long-term outdoor use.
- ✔ It is more convenient for replacement and repair.

- ✘ GOB process offers lower costs, but maintenance may leave visible marks.
- ✘ Poor waterproof effect, can not be outdoors for a long time, there will be the risk of cracking.

Application Scenarios

Widely used in shopping malls, retail stores, exhibitions, commercial advertising, public spaces, and creative display installations, delivering a unique and eye-catching visual experience.





Parameters

Items	RLD125	RLD153	RLD186	RLD2	RLD25	RLD3	RLD4
Pixel Pitch (mm)	1.25	1.53	1.86	2	2.5	3	4
Pixel Density (pixels/m ²)	640,000	422,500	360,000	250,000	160,000	111,111	62,500
Module Size	Custom Size						
Product Size	Customizable Diameter						
Refresh Rate (Hz)	≥3,840						
Brightness (cd/m ²)	700-8,000						
Protection Level	Indoor (Front: IP40, Back: IP41) / Outdoor (Front: IP65, Back: IP54)						

*Support full customization according to project requirements.

* The specifications are for reference only. Actual parameters may vary depending on the specific model or contractual agreement.



Bring your ideas into reality

MileStrong Headquarters & Showroom

4/F, Building B15, Phase II, Xincheng Chuangzhi Industrial Park, No. 456 Heping Road, Furong District, Changsha, Hunan, China

Shenzhen MileStrong Conventional Display Division

Building 4, Yinjin Technology Industrial Park, Fengjing South Road, Hewan Community, Matian Subdistrict, Guangming District, Shenzhen, Guangdong, China

Shenzhen MileStrong XR/Immersive Display Division

3/F, Building 5, Xinlianhe Industrial Park, Bao'an District, Shenzhen, Guangdong, China

Shenzhen MileStrong Transparent Display Division

3/F, Tianyou Building, Yuekang Road, Bao'an District, Shenzhen, Guangdong, China

Shenzhen Milestrong Technology Co., Ltd.



Website



WhatsApp



WeChat



TikTok



YouTube